



HEALTH CARE

St. Paul's Hospital

1081 Burrard Street, Vancouver, B.C. V6Z 1Y6

NUCLEAR MEDICINE

Tel: 604-806-8008 Fax: 604-806-8075

PATIENT INFORMATION

Name:

Surname First Middle

PHN NO: / / Non-Resident: Province/Private Pay

Birthdate: Day Month Year Sex: M / F

Address: Street

City Postal Code

Telephone: Day Evening

Is Patient Pregnant? Yes / No

Examination Requested:

Medications

- Ace Inhibitors
- Beta Blockers
- Xanthines (eg. Theophylline)
- Thyroid Medications
- HRT / Biphosphonates
- Steroids

Bone Mineral Density

- Spine + Femur
- Femur Only
- Spine Only

Note:

MSP does not cover for screening. Please provide relevant history.

Relevant History:

The nature and purpose of this procedure has been explained to my patient.

Requesting Dr.	#		
Dr.'s Name (Please Print)	MSP Billing #	Signature	
Copies to... Dr.			
Dr.	MSP Billing #		
Dr.	MSP Billing #		
Dr.	MSP Billing #		

Note: Results are distributed by MSP billing numbers – if not provided results / reports cannot be forwarded.

Appointment Date & Time:

Please bring your care card, WCB and/or ICBC information.

Notify the Nuclear Medicine Department immediately of any changes or cancellations
Booking Hours: Monday to Friday 8:00 am to 3:30 pm.

PATIENT INSTRUCTIONS

MIBI

All patients fasting from midnight.
All patients booked for a mibi study should be kept caffeine free for 24 hours prior to test.
No tea, coffee or medications containing caffeine or Theophylline compounds are allowed.

Gastric Emptying and Biliary

All patients are required to be fasting for four hours prior to the test.

C14 Urea Breath Test

Fast for four hours.

Patients should not be taking the following medications:
Proton Pump Inhibitors, Histamine, H2 Receptor, Bismuth, Antibiotics, Carafate/Sucralate, Antacids.
Some of these require cessation four weeks prior to exam.

For more information please contact the department.

Bone Densitometry

Patients must not take antacids or calcium supplements on the day of the test

Patients must be able to transfer onto the scanning bed with minimal assistance and lay flat for up to 20 minutes.

Captopril Renogram

Fast for four hours.

FOR DEPARTMENT USE

BODY HABITUS PROFILE

Bra size: Left mastectomy

Abdominal protuberance mild mod marked WEIGHT:

Male Gynecomastia Yes No HEIGHT: